

VOTAVA, Z.

Side reactions during the administration of monoaminoxidase inhibitors and their connection with the eating of cheese.
Cas. lek. cesk. 104 no.15:74-75 16 Ap'65.

1. Farmakologicky ustav lebarske fakulty hygienicke Karlovy University v Praze (prednosta: prof. dr. Z. Votava).

VOTAVA, Z.; BENESOVA, O.; BOHDANECKY, Z.; METYS, J.; METYSOVA, J.

New concept of the anticholinergic mechanism of the action of antidepressant thymoleptic drugs. Postepy hig. med. dosw. 18 no.6:925-944 N-D '64

1. Department of Pharmacology, Medical Faculty of Hygiene, Charles University and Research Institute of Pharmacy and Biochemistry, Prague.

BENESOVA, O.; BONDANECKY, Z.; VOTAVA, Z.

EEG arousal reaction induced by the inhibitors of cholinesterase and its modification by atropine and benactyzine in rabbits. *Activ. nerv. sup. (Praha)* 7 no.2:148-151 '65

1. Institute of Pharmacology, Medical Faculty of Hygiene, Charles University, Prague. 2. O. Benesova's address: Praha 10, Srobarova 50.

SOUSKOVA, M.; VOTAVA, Z.

Use of the orientation reaction of rats in pharmacology. Czech.
fysiol. 14 no.2:152-157 Mr '65.

1. Vyzkumny ustav experimentalni terapie; Vyzkumny ústav
farmacie a biochemie, Praha.

VOTAVA, Z.

Increasing sexual promiscuity and frequency of venereal diseases in English youth. Findings of the Commission of the British Medical Association. Cas. lek. cesk. 104 no.10:57 12 Mr'65.

Experiences from an educational trip to Paris and to the United States. Ibid.:62-65

1. Farmakologicky ustav lekarske fakulty hygienicke Karlovy University v Praze (prednosta: inz. dr. O. Namecek).

VOTAVA, Z.

Treatment of migraine. Cas. lek. cesk. 104 no.2:22 15 Ja '65

1. Farmacologicky ustav lekarske fakulty hygienicke Karlovy
University v Praze.

VOTAVOVA, L.

"The theorem of extremes of entropy. In German."

p.293 (Vol. 42, 1956, Prague, Czechoslovakia)

Monthly Index of East European Accession (EEAI) LC, Vol. 7, No. 8, August 1958

UOTAUOVA, L.

16(2) PHASE I BOOK EXPLOITATION CZECH/2556

Conference on Information Theory, Statistical Decision Functions, Random Processes. 1st, Liblice, 1956.

Transactions. Prague, Czechoslovak Academy of Sciences, 1957. 354 p. 1,000 copies printed.

Sponsoring Agency: Czechoslovak Academy of Sciences V&D. Sekce Technická.

Reviewers: Václav Beneš and Miloslav Jirina. Scientific Ed.: Stanislav Kozáňka. Corresponding Author: Czechoslovak Academy of Sciences. Map. Ed.: Laděk Bůna, Tech. Ed.: František Komlíček.

PURPOSE: This book is intended for specialists interested in information theory and related subjects.

COVERAGE The book contains papers read at the First Prague Conference on Information Theory, Statistical Decision Functions, and Random Processes, held on November 28 - 30, 1956. The Conference was sponsored by the Czechoslovak Academy of Sciences and organized by the Institute of Radio Engineering and Electronics. The papers discuss various mathematical approaches to the problems of communications: information theory, probability properties of communications, stochastic properties of communications, entropy, transformations of stochastic properties, statistical decision functions, randomized functional analysis, etc. Participants from China, Germany, Poland, Sweden, the United States, and the Soviet Union were present at the Conference. Of the 21 articles in the book, 14 are in English, 4 in French, 2 in German, and 1 in Russian.

Prinč, M. and J. Špaček. (Czechoslovakia). Continuous Random Decision Processes Controlled by Experience 43

Harň, O. (Czechoslovakia). Generalized Random Variables 61

Harň, O. Random Fixed Point Theorems 105

Harň, O. Inverse and Adjoint Transforms of Linear Bounded Random Transforms 127

Harň, O. Almost Sure Convergence Theorems for Random Schwartz Distributions 135

Meduna, J. (Czechoslovakia). Note on Generalized Random Variables 139

Pérez, A. (Czechoslovakia). Generalized Concepts of Uncertainty, of Entropy and of Information from the Point of View of the Theory of Martingales 183

Pérez, A. On Information Theory in the Case of an Abstract Alphabet 209

Pérez, A. On the Convergence of Uncertainty, Entropy, and Information Samples Toward Their True Values 245

Špaček, A. (Czechoslovakia). An Elementary Experience Problem 253

Špaček, A. Extension of Probabilistic Transformations 259

Ullrich, M. (Czechoslovakia). Some Theorems on Random Schwartz Distributions 273

Votava, L. (Czechoslovakia). Theorem on the Extreme of Entropy 293

Michalbauer, J. (Czechoslovakia). Experience in Games of Strategy and in Statistical Decision 297

AVAILABLE: Library of Congress

Card 5/5

12-1-59

VOTAVOVA, M.

5th National Conference of Czechoslovak Hydrobiologists and Ichthyologists.
p. 520.

VODNÍ HOSPODÁŘSTVÍ. (Ministerstvo energetiky a vodního hospodářství a
Vědecká technická společnost pro vodní hospodářství) Praha, Czechoslovakia,
No. 11, Nov. 1959

Monthly List of East European Accession (EEAI), LC Vol. 9, no.2,
Feb. 1960

Uncl.

CERVENKA, Rudolf; STEPANEK, Miroslav; VOTAVOVA, Milena; CERVENKOVA, Eva;
KORBOVA, Milada; KANDLER, Maximilian

Limnological study of the reservoir Sedlice near Zeliv; part 7: Methods
of selecting new algicide compounds. Sbor pal vod VSChT no.3, part 1:
247-290 '59.

1. Terenni laborator Ustavu hygieny v Sedlici; and Katedra technologie
vody Vysoke školy chemicko-technologicke, Praha.

CERVENKA, Rudolf; STEPANEK, Miroslav; VOTAVOVA, Milena; CERVENKOVA, Eva;
KORBOVA, Milada; KANDLER, Maxmilian

Limnologic study of the reservoir Sedlice near Zeliv. VII. Contribution
to technique of selecting new algicides. Sbor chem tech 1959: 247-
290. (BEAI 9:12)

1. Terenni laborator Ustavu higieny v Sedlici a Katedra technologie
vody Vysoke skoly chemickotechnologicke v Praze.

(Czechoslovakia--Limnology)

(Czechoslovakia--Reservoirs)

(Czechoslovakia--Algicides)

1. Polarographic analysis in prospecting in the nickel ore deposit near Křemže in Southern Bohemia (Czechoslovakia). Zdeněk Votavová (Vysoká škola chem. technol., Prague). Sborník vysoké školy chem. technol. v Praze 1957, 203-6. For prospecting purposes the most suitable method for the rapid detn. of Ni was polarography. Dissolve 5 g. of the sample in aqua regia, heat on the steam-bath, evap. to dryness, digest the residue with 5 ml. HCl, evap. to dryness, digest the residue with 3 ml. HCl and 100 ml. H₂O, transfer the soln. and the residue into a 250-ml. volumetric flask, fill to the mark, pipet a 5-ml. aliquot to a soln. of 5 ml. *M* NH₄OH and *M* NH₄Cl, add 0.3 ml. satd. soln. of Na₂SO₄, 3 drops of 0.5% soln. of gelatin, filter, and polarograph in the Novák vessel. The analysis lasts 50-60 min. M. Hudlický

SB
1/1

CR

VOTAVOVA, Zdenka; KRAL, Richard

Distribution of germanium in Kladno Basin. Sbor chem tech no.3,
part 2:337-352 '59.

1. Katedra mineralogie, Vysoka skola chemicko-technologicka, Praha
a Laborator anorganicke chemie Ceskoslovenske akademie ved, Praha.

1ST AND 2ND CROSS										3RD AND 4TH CROSS									
PROCEDURES AND PROPERTIES INDEX																			
<p>Ch</p> <p>17</p> <p>Doehlein, V. H. Yorenko. <i>Dyall. Nauchno-Issledov. Khim.-Farm. Inst. 1931.</i> 10-A.—The biological properties of doehlein are reviewed and 20 literature references A. A. Rozenblum are cited.</p>																			
ASB-51A METALLURGICAL LITERATURE CLASSIFICATION																			
SOURCES										COLLECTIONS									
SOURCES										COLLECTIONS									

17

Substitutes for bismuth in therapy. B. VOTCHAL. *Khim. Farm. Prom.* 6-6, 262-4(1937).—A discussion and a suggestion for substituting fine Al powder, Al_2SiO_5 , $2H_2O$, kaolin, and Al subacetate for different Bi preps.

LEO NARANEVICH

1ST AND 2ND CODES										PROCESSES AND PROPERTIES INDEX										3RD AND 4TH CODES									
<p>Handwritten: <i>W</i> (top left) and <i>112</i> (top right)</p> <p>Chemical therapy of tuberculosis. H. VORCHAL. <i>Khim. Farm. Prom.</i> 1932. 424-8.—A general review with recommendation to improve the uses of Au, Cu, Mn and Ca in the therapy of tuberculosis. L. NASAROVICH</p>																													
<p>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																													
1ST AND 2ND CODES										3RD AND 4TH CODES										5TH AND 6TH CODES									

17

Preparations for the treatment of granites. B. N. Vochal. Khim. Prom. 1934, No. 8, 27-31. -177a

custom and classification of treatments showing the advantage of using ammoniacal Ag preps. as CH_3COAg , $(\text{NH}_4)_2\text{Ag}_2\text{CO}_3$, NiAg , silicic and oxalic acid salts.

Leo Nasarevkh

ASM-51A METALLURGICAL LITERATURE CLASSIFICATION

1934-1935

1936-1937

1938-1939

1940-1941

1942-1943

1944-1945

1946-1947

1948-1949

1950-1951

1952-1953

1954-1955

1956-1957

1958-1959

1960-1961

1962-1963

1964-1965

1966-1967

1968-1969

1970-1971

1972-1973

1974-1975

1976-1977

1978-1979

1980-1981

1982-1983

1984-1985

1986-1987

1988-1989

1990-1991

1992-1993

1994-1995

1996-1997

1998-1999

2000-2001

2002-2003

2004-2005

2006-2007

2008-2009

2010-2011

2012-2013

2014-2015

2016-2017

2018-2019

2020-2021

2022-2023

2024-2025

2026-2027

2028-2029

2030-2031

2032-2033

2034-2035

2036-2037

2038-2039

2040-2041

2042-2043

2044-2045

2046-2047

2048-2049

2050-2051

2052-2053

2054-2055

2056-2057

2058-2059

2060-2061

2062-2063

2064-2065

2066-2067

2068-2069

2070-2071

2072-2073

2074-2075

2076-2077

2078-2079

2080-2081

2082-2083

2084-2085

2086-2087

2088-2089

2090-2091

2092-2093

2094-2095

2096-2097

2098-2099

2100-2101

2102-2103

2104-2105

2106-2107

2108-2109

2110-2111

2112-2113

2114-2115

2116-2117

2118-2119

2120-2121

2122-2123

2124-2125

2126-2127

2128-2129

2130-2131

2132-2133

2134-2135

2136-2137

2138-2139

2140-2141

2142-2143

2144-2145

2146-2147

2148-2149

2150-2151

2152-2153

2154-2155

2156-2157

2158-2159

2160-2161

2162-2163

2164-2165

2166-2167

2168-2169

2170-2171

2172-2173

2174-2175

2176-2177

2178-2179

2180-2181

2182-2183

2184-2185

2186-2187

2188-2189

2190-2191

2192-2193

2194-2195

2196-2197

2198-2199

2200-2201

2202-2203

2204-2205

2206-2207

2208-2209

2210-2211

2212-2213

2214-2215

2216-2217

2218-2219

2220-2221

2222-2223

2224-2225

2226-2227

2228-2229

2230-2231

2232-2233

2234-2235

2236-2237

2238-2239

2240-2241

2242-2243

2244-2245

2246-2247

2248-2249

2250-2251

2252-2253

2254-2255

2256-2257

2258-2259

2260-2261

2262-2263

2264-2265

2266-2267

2268-2269

2270-2271

2272-2273

2274-2275

2276-2277

2278-2279

2280-2281

2282-2283

2284-2285

2286-2287

2288-2289

2290-2291

2292-2293

2294-2295

2296-2297

2298-2299

2300-2301

2302-2303

2304-2305

2306-2307

2308-2309

2310-2311

2312-2313

2314-2315

2316-2317

2318-2319

2320-2321

2322-2323

2324-2325

2326-2327

2328-2329

2330-2331

2332-2333

2334-2335

2336-2337

2338-2339

2340-2341

2342-2343

2344-2345

2346-2347

2348-2349

2350-2351

2352-2353

2354-2355

2356-2357

2358-2359

2360-2361

2362-2363

2364-2365

2366-2367

2368-2369

2370-2371

2372-2373

2374-2375

2376-2377

2378-2379

2380-2381

2382-2383

2384-2385

2386-2387

2388-2389

2390-2391

2392-2393

2394-2395

2396-2397

2398-2399

2400-2401

2402-2403

2404-2405

2406-2407

2408-2409

2410-2411

2412-2413

2414-2415

2416-2417

2418-2419

2420-2421

2422-2423

2424-2425

2426-2427

2428-2429

2430-2431

2432-2433

2434-2435

2436-2437

2438-2439

2440-2441

2442-2443

2444-2445

2446-2447

2448-2449

2450-2451

2452-2453

2454-2455

2456-2457

2458-2459

2460-2461

2462-2463

2464-2465

2466-2467

2468-2469

2470-2471

2472-2473

2474-2475

2476-2477

2478-2479

2480-2481

2482-2483

2484-2485

2486-2487

2488-2489

2490-2491

2492-2493

2494-2495

2496-2497

2498-2499

2500-2501

2502-2503

2504-2505

2506-2507

2508-2509

2510-2511

2512-2513

2514-2515

2516-2517

2518-2519

2520-2521

2522-2523

2524-2525

2526-2527

2528-2529

2530-2531

2532-2533

2534-2535

2536-2537

2538-2539

2540-2541

2542-2543

2544-2545

2546-2547

2548-2549

2550-2551

2552-2553

2554-2555

2556-2557

2558-2559

2560-2561

2562-2563

2564-2565

2566-2567

2568-2569

2570-2571

2572-2573

2574-2575

2576-2577

2578-2579

2580-2581

2582-2583

2584-2585

2586-2587

2588-2589

2590-2591

2592-2593

2594-2595

2596-2597

2598-2599

2600-2601

2602-2603

2604-2605

2606-2607

2608-2609

2610-2611

2612-2613

2614-2615

2616-2617

2618-2619

2620-2621

2622-2623

2624-2625

2626-2627

2628-2629

2630-2631

2632-2633

2634-2635

2636-2637

2638-2639

2640-2641

2642-2643

2644-2645

2646-2647

2648-2649

2650-2651

2652-2653

2654-2655

2656-2657

2658-2659

2660-2661

2662-2663

2664-2665

2666-2667

2668-2669

2670-2671

2672-2673

2674-2675

2676-2677

2678-2679

2680-2681

2682-2683

2684-2685

2686-2687

2688-2689

2690-2691

2692-2693

2694-2695

2696-2697

2698-2699

2700-2701

2702-2703

2704-2705

2706-2707

2708-2709

2710-2711

2712-2713

2714-2715

2716-2717

2718-2719

2720-2721

2722-2723

2724-2725

2726-2727

2728-2729

2730-2731

2732-2733

2734-2735

2736-2737

2738-2739

2740-2741

2742-2743

2744-2745

2746-2747

2748-2749

2750-2751

2752-2753

2754-2755

2756-2757

2758-2759

2760-2761

2762-2763

2764-2765

2766-2767

2768-2769

2770-2771

2772-2773

2774-2775

2776-2777

2778-2779

2780-2781

2782-2783

2784-2785

2786-2787

2788-2789

2790-2791

2792-2793

2794-2795

2796-2797

2798-2799

2800-2801

2802-2803

2804-2805

2806-2807

2808-2809

2810-2811

2812-2813

2814-2815

2816-2817

2818-2819

2820-2821

2822-2823

2824-2825

2826-2827

2828-2829

2830-2831

2832-2833

2834-2835

2836-2837

2838-2839

2840-2841

2842-2843

2844-2845

2846-2847

2848-2849

2850-2851

2852-2853

2854-2855

2856-2857

2858-2859

2860-2861

2862-2863

2864-2865

2866-2867

2868-2869

2870-2871

2872-2873

2874-2875

2876-2877

2878-2879

2880-2881

2882-2883

2884-2885

2886-2887

2888-2889

2890-2891

2892-2893

2894-2895

2896-2897

2898-2899

2900-2901

2902-2903

2904-2905

2906-2907

2908-2909

2910-2911

2912-2913

2914-2915

2916-2917

2918-2919

2920-2921

2922-2923

2924-2925

2926-2927

2928-2929

2930-2931

2932-2933

2934-2935

2936-2937

2938-2939

2940-2941

2942-2943

2944-2945

2946-2947

2948-2949

2950-2951

2952-2953

2954-2955

2956-2957

2958-2959

2960-2961

2962-2963

2964-2965

2966-2967

2968-2969

2970-2971

2972-2973

2974-2975

2976-2977

2978-2979

2980-2981

2982-2983

2984-2985

2986-2987

2988-2989

2990-2991

2992-2993

2994-2995

2996-2997

2998-2999

3000-3001

3002-3003

3004-3005

3006-3007

3008-3009

3010-3011

3012-3013

3014-3015

3016-3017

3018-3019

3020-3021

3022-3023

3024-3025

3026-3027

3028-3029

3030-3031

3032-3033

3034-3035

3036-3037

3038-3039

3040-3041

3042-3043

3044-3045

3046-3047

3048-3049

3050-3051

3052-3053

3054-3055

3056-3057

3058-3059

3060-3061

3062-3063

3064-3065

3066-3067

3068-3069

3070-3071

3072-3073

3074-3075

3076-3077

3078-3079

3080-3081

3082-3083

3084-3085

3086-3087

3088-3089

3090-3091

3092-3093

3094-3095

3096-3097

3098-3099

3100-3101

3102-3103

3104-3105

3106-3107

3108-3109

3110-3111

3112-3113

3114-3115

3116-3117

3118-3119

3120-3121

3122-3123

3124-3125

3126-3127

3128-3129

3130-3131

3132-3133

3134-3135

3136-3137

3138-3139

3140-3141

3142-3143

3144-3145

3146-3147

3148-3149

3150-3151

3152-3153

3154-3155

3156-3157

3158-3159

3160-3161

3162-3163

3164-3165

3166-3167

3168-3169

3170-3171

3172-3173

3174-3175

3176-3177

3178-3179

3180-3181

3182-3183

3184-3185

3186-3187

3188-3189

3190-3191

3192-3193

3194-3195

3196-3197

3198-3199

3200-3201

3202-3203

3204-3205

3206-3207

3208-3209

3210-3211

3212-3213

3214-3215

3216-3217

3218-3219

3220-3221

3222-3223

3224-3225

3226-3227

3228-3229

3230-3231

3232-3233

3234-3235

3236-3237

3238-3239

3240-3241

3242-3243

3244-3245

3246-3247

3248-3249

3250-3251

3252-3253

3254-3255

3256-3257

3258-3259

3260-3261

3262-3263

3264-3265

3266-3267

3268-3269

3270-3271

3272-3273

3274-3275

3276-3277

3278-3279

3280-3281

3282-3283

3284-3285

3286-3287

3288-3289

3290-3291

3292-3293

3294-3295

3296-3297

3298-3299

3300-3301

3302-3303

3304-3305

3306-3307

3308-3309

3310-3311

3312-3313

3314-3315

3316-3317

3318-3319

3320-3321

3322-3323

3324-3325

3326-3327

3328-3329

3330-3331

3332-3333

3334-3335

3336-3337

3338-3339

3340-3341

3342-3343

3344-3345

3346-3347

3348-3349

3350-3351

3352-3353

3354-3355

3356-3357

3358-3359

3360-3361

3362-3363

3364-3365

3366-3367

3368-3369

3370-3371

3372-3373

3374-3375

3376-3377

3378-3379

3380-3381

3382-3383

3384-3385

3386-3387

3388-3389

3390-3391

3392-3393

3394-3395

3396-3397

3398-3399

3400-3401

3402-3403

3404-3405

3406-3407

3408-3409

3410-3411

3412-3413

3414-3415

3416-3417

3418-3419

3420-3421

3422-3423

3424-3425

3426-3427

3428-3429

3430-3431

3432-3433

3434-3435

3436-3437

3438-3439

3440-3441

3442-3443

3444-3445

3446-3447

3448-3449

3450-3451

3452-3453

3454-3455

3456-3457

3458-3459

3460-3461

3462-3463

3464-3465

3466-3467

3468-3469

3470-3471

3472-3473

3474-3475

3476-3477

3478-3479

3480-3481

3482-3483

3484-3485

3486-3487

3488-3489

3490-3491

3492-3493

3494-3495

3496-3497

3498-3499

3500-3501

3502-3503

3504-3505

3506-3507

3508-3509

3510-3511

3512-3513

3514-3515

3516-3517

3518-3519

3520-3521

3522-3523

3524-3525

3526-3527

3528-3529

3530-3531

3532-3533

3534-3535

3536-3537

3538-3539

3540-3541

3542-

VOTCHAL, B. E.

27920. VOTCHAL, B. E. — Izmeneniya v mekhanizme legochnoy ventilyatsii pri emfizeme legkikh i pnevmoskleroze. Trudy XIII vsesoyuz. S'yezda terapevtov, L., 1949, S. 246-52

SO: Letopis' Zhurnal'nykh Statey. Vol. 37, 1949.

VOTCHAL, B. Ya.

Lungs - Diseases

Prevention of development of chronic non-specific pulmonary processes., Terap. arkh., 23, No. 6, 1951.

9. Monthly List of Russian Accessions, Library of Congress, March 1953/2Unclassified.

SHASS, E.Yu.; YABLOKOV, D.D., redaktor; VOTCHAL, B.Ye., redaktor.

[Phytotherapy] Fitoterapiia. Pod red. D.D. Iablokova i B.E. Vot-
chala. Moskva, Izd-vo Akademii med. nauk SSSR, 1952. 216 p.
(Botany, Medical) (Medicine--Formulae, (MIRA 7:5)
receipts, prescriptions)

VOTCHAL, B.Ye., professor.

Letter to the editor of "Aptekhnos delo." Apt.delo 3 no.1:61-62
Ja-F '54. (MIRA 7:1)
(Shass, Ezekil' Iulevich) (Mshvidobadze, A.E.)
(Botany, Medical)

VOTCHAL, B.E.

Antibismine preparations R. E. Votchal and V. N.

VOTCHAL, B.Ye., professor

"Medicines; manual for physicians." M.D.Mashkovskii. Reviewed by
B.M.Votchal, Klin.med. 33 no.12:86-88 D '55. (MLHA 9:5)
(MASHKOVSKII, M.D.) (PHARMACOLOGY)

VOTCHAL, B.Ye.

VOTCHAL, B.Ye.; MESHALKIN, Ye.M.

Basic requirements from new apparatus for functional examination of the organs of blood circulation and respiration. Med.prom. 11 no.6: 15-19 Je '57. (MIRA 10:8)

1. Tsentral'nyy institut usovershenstvovaniya vrachey
(PHYSIOLOGICAL APPARATUS) (BLOOD--CIRCULATION)
(RESPIRATION)

VOTCHAL, B. Ye.

U.S.S.R. / Human and Animal Physiology. Blood Circu- T
lation.

Abs Jour: Ref Zhur-Biol., No 5, 1958, 22134.

Author : ~~Votchal B. Ye.~~, Meshalkin, E. N.
Inst : Not given.
Title : Basic Principles of New Apparatus for Func-
tional Investigation of the Organs of Circu-
lation and Respiration.

Orig Pub: Med. prom-st SSSR, 1957, No 6, 45-47.

Abstract: No abstract.

Card 1/1

VOTCHAL, B.Ye., professor (Moskva)

Problems of chemotherapy in the clinical treatment of internal
diseases. Klin.med. 35 no.5:8-12 My '57. (MLRA 10:8)

(CHEMOTHERAPY
indic. and correct dosage)

TAREYEV, Ye.M., prof. (Moskva), otv.red.; MOLCHANOV, N.S., prof.,
red.; VOTCHAL, B.Ye.; prof., red.; BONDAR', Z.A., doktor med.
nauk, red.; POPOV, V.G., dotsent, red.; MEVRAYEV, G.A.,
dotsent, red.; KARPОВА, G.D., red.; GOTOVTSEV, P.I., red.;
BEL'CHIKOVA, Yu.S., tekhn.r.d.

[Proceedings of the 14th All-Union Congress of Therapists
in Moscow, 1956] Trudy XIV Vsesoyuznogo s"ezda terapevtov.
Pod obshchey red. E.M.Tareeva. Moskva, Gos.izd-vo med.lit-ry,
1958. 735 p. (MIRA 13:5)

1. Vsesoyuznyy s"ezd terapevtov. 14th, Moscow, 1956. 2. Deystvi-
tel'nyy chlen AMN SSSR (for Tareyev). 3. Chlen-korrespondent AMN
SSSR (for Molchanov).

(THERAPEUTICS--CONGRESSES)

AUTHOR: Votchak, B., Professor

4-2-11/18

TITLE: Curative Aerosols (Tselebnyye aerosoli)

PERIODICAL: Znaniye-Sila, 1958, # 2, p 27 (USSR)

ABSTRACT:

Chronic lung affections have been notoriously hard to cure. Anti-biotics helped greatly, but now aerosol inhalation is considered the best (spraying under compressed air in particles sized from 1 to 3 microns). Injection or common inhalations are ineffective, since they cannot reach those affected parts that are encapsulated. The process is combined with oxygen and added to the antibiotics for infants with inflammation of the lungs. The process was developed by the engineers Perel'mutor and Abramov, Kapkoviy and Pelevina, and far excels anything done abroad.

AVAILABLE: Library of Congress

Card 1/1

VOTCHAL, B.Ye., MSANDROVA, S.Ye.

Pneumotaxometer. Med. prom. 12 no.6:52-55 Je '58 (MIRA 11:7)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut meditsinskogo instrumentariya i oborudovaniya.
(RESPIROMETER)

VOTCHAL, B.Ye., prof., TUPOLEVA, Yu.A., SALIMOV, S.G. (Moskva)

Conditioned reflex motor method for the objective registration of the state of sleep. Klin.med. 36 no.9:25-29 8'58 (MIRA 11:10)

1. Iz 2-y kafedry terapii (zav. - prof. B.Ye. Votchal) Tsentralnogo instituta usovershenstvovaniya vrachey (dir. V.P. Lebedeva) na baze Klinicheskoy ordena Lenina Bol'nitsy imeni S.P. Botkina (glavnyy-prof. A.I. Shabanov).

(SLEEP,

conditioned reflex motor method for depth determ. (Rus))

(REFLEX, CONDITIONED

conditioned reflex motor method for determ. of depth of sleep (Rus))

VOTCHAL, B.Ye., prof.

On homeopathy. Zdorov'e 5 no.7:13-14 J1 '59. (MIRA 12:11)
(HOMEOPATHY)

VOTCHAL, B. Ye., prof. (Moskva); SHCHYLSKY, M.S. (Stalino)

Evaluation of modern methods of studying bronchial patency in clinical practice. Klin. med. 37 no.3:9-17 Mr '59. (MIRA 12:7)

(BRONCHI

patency, method of determ. (Rus))

VOTCHAL, B.Ye., prof.; MAGAZANIK, H.A. (Moskva)

Current status of the problem of pulmonary embolism and infarcts.
Klin.med. 37 no.12:37-44 D '59. (MIRA 13:4)
(PULMONARY EMBOLISM)

VINOKURSKIY, S.A.; VOTCHAL, B.Ye.; AMAYEVA, L.A.

Arterial oscillometer. Med.prom. 15 no.9:48-50 S '61.

{MIRA 14:9}

1. Vsesoyuznyy nauchno-issledovatel'skiy institut meditsinskikh
instrumentov i oborudovaniya i Tsentral'nyy institut usovershenstvo-
vaniya vrachey.

(OSCILLOMETER)

(BLOOD PRESSURE)

VOTCHAL, B. E.[Votchall], dr., prof.; CSAPIDZE, G. E.[Chapidze] aspirans

Peripheral vessels in essential hypertension. Orv. hetil. 102 no.16:
726-728 16 Ap '61.

1. Moszkvai Központi Orvosképző Intézet, II Belklinika.

(HYPERTENSION)

VOTCHAL, B.Ya.; AVERINA, R.I. (Moskva)

Technic for anticoagulatn therapy. Klin.med. no.1:15-19 '62.

(MIRA 15:1)

(ANTICOAGULATNS (MEDICINE)--THERAPEUTIC USE)

VOTCHAL, B.Ye., prof.; MAGAZANIK, N.A. (Moskva)

Cor pulmonale and bronchial patency; their pathogenic relations
and therapeutic deductions. Klin.med. no.4:23-27 '62.

(MIRA 15:5)

(COR PULMONALE) (BRONCHI--DISEASES)

VOTCHAL, B.Ye.; MODESTOV, V.K.; AKOPYAN, M.A.

Determination of the volume of residual air in the lungs with
radioactive xenon. Med.rad. no.5:3-6 '62. (MIRA 15:8)

1. Iz 2-y kafedry terapii i kafedry meditsinskoy radiologii TSen-
tral'nogo instituta usovershenstvovaniya vrachey.
(XENON—ISOTOPES) (RESPIRATION)

VOTCHAL, B.Ye.; AKOPYAN, M.A., (Moskva)

Residual air in the lungs and uniformity of ventilation
under normal conditions in nonspecific pulmonar/ diseases,
and in heart defects. Report No.1. Klin. med. 40 no.12:10-
17 D '62. (MIRA 17:2)

1. Iz 2-y kafedry terapii Tsentral'nogo instituta upover-
shanstvovaniya vrachev.

VOTCHAL, B. Ye., prof. (Moskva)

Problems in the method of digitalis therapy. Klin. med. no.8:6-14
(MIRA 1;14)

(DIGITALIS)

ACCESSION NR: AP4041351 S/0248/64/000/006/0075/0081
AUTHOR: Votchak, B. Ye.; Belousov, A. S.; Zvyagina, L. N.; Brayeva, N. M.

TITLE: Radiotelemetric study of temperatures in the human stomach and intestine in normal and pathological conditions

SOURCE: AMN SSSR. Vestnik, no. 6, 1964, 75-81

TOPIC TAGS: radiotelemetry, temperature radiotelemetry, stomach, radiocapsule, gastrointestinal tract

ABSTRACT: Data derived from investigations of the human digestive tract with the aid of a temperature-measuring radiocapsule are presented. Temperature readings were obtained in 30 healthy persons and 57 patients suffering from various disorders of the digestive tract, including inflammatory and noninflammatory conditions. The radiocapsule method permitted the authors to detect two types of digestive tract temperature curves in healthy subjects — one relatively high, on the order of 36.8 to 38.6C and the other relatively low, on the order of 36.8 to 37.8C; that is, hyperthermal and hypothermal cases.

Card 1/3

ACCESSION NR: AP4041351

Repeated attempts to associate changes in temperature in the digestive tract with the presence of acute cholecystitis or cancerous ulcers were unsuccessful. Since the temperature in different parts of the digestive tracts of healthy persons varied as much as 1.5C, the presence of acute or chronic inflammation processes was indicated by the shape of the curve rather than by absolute temperature values. The circulation of the blood in the stomachs of healthy and sick people was studied by having the subjects drink hot or cold water, then noting the change in internal temperature and its restoration to previous levels. In addition, hot or cold water was injected directly into the stomach in order to determine circulation in the stomach wall. The role of the temperature factor in the evacuant function of the stomachs of healthy and diseased subjects was found to be very important, along with the pH value of the contents of the stomach. Thus, the use of radiocapsules is a promising method for investigating the function of the digestive tract. Orig. art. has: 5 figures.

ASSOCIATION: Tsentral'nyy institut usovershenstvovaniya vrachey, Moscow (Central Institute for Upgrading Physicians)

Card 2/3

ACCESSION NR: AP4041351

SUBMITTED: 30Mar64

ENCL: 00

SUB CODE: LS,EC

NO REF SOV: 001

OTHER: 000

Card 3/3

MYASNIKOV, A.L., prof., otv. red.; MOLCHANOV, N.S., red.; LUKOMSKIY,
P.Ye., prof., red.; VOTCHAL, B.Ye., prof., red.; DEMBO,
A.G., prof., red.; MUKHARLYAMOV, H.M., kand. med. nauk,
red.

[Transactions of the 15th All-Union Congress of Therapeutists]
Trudy Vsesoiuznogo s"ezda terapevtov. Pod obshchei red. A.L.
Miasnikova. Moskva, Meditsina, 1964. 529 p. (MIRA 17:6)

1. Vsesoyuznyy s"yezd terapevtov. 15th, 1962. 2. Deystvi-
tel'nyy chlen AMN SSSR (for Myasnikov, Molchanov, Lukomskiy).
3. Chlen-korrespondent AMN SSSR (for Votchal).

L 22683-66

ACC NR: AP6001328

SOURCE CODE: UR/0248/65/000/C09/0097/0105

16
B

AUTHOR: Votchak, B. Ye.; Vysokiy, F. F.

ORG: Central Institute for the Advanced Training of Physicians, Moscow (Tsentral'nyy institut usovershenstvovaniya vrachey)

TITLE: Radiocardiocirculographic technique for the comprehensive study of central and peripheral hemodynamics

SOURCE: AMN SSSR. Vestnik, no. 9, 1967, 97-105

TOPIC TAGS: blood circulation, radioisotope, cardiology, cardiovascular system, radiology, krypton

ABSTRACT: Of the 20-odd methods available for the measurement of cardiac output and coronary blood flow none completely satisfies the clinician, either because of extreme complexity, inapplicability to humans or low precision. A method was devised for the simultaneous investigation of central and peripheral hemodynamics involving inhalation radiocardiography using krypton (Kr^{85}). The patient breathes the radioactive gas which mixes with the blood in various parts of the body (e. g.

UDC: 616.1-008.1-073.916 + 612.15 + 612.171.1

Card 1/2

L 22683-66

ACC NR: AP6001328

heart, liver, lungs). Appropriate radiation counters are applied at the pertinent area. By noting the time and duration of radioactivity the rate and amount of blood flowing through the area is determined. Examination of healthy and sick people with various pathological manifestations revealed that the relationship between the duration of blood flow in the arterial and venous portion of the systemic and hepatic circulation changes quite precisely and differentially during cardiovascular and pulmonary-cardiac insufficiencies as well as in hepatic cirrhosis. In general, all parameters were found to be higher, thus indicating an increase in the duration of blood flow (a slowing down) as compared with healthy controls. This method also made it possible to elucidate the mode of action of some cardiovascular medications. Results showed that these drugs increase the rate of blood flow through one or several parts of the circulatory system often at the expense of decreasing it in other parts. This is probably achieved by increasing the tone of the venules and the microtonus of the hepatic aortal system. Orig. art. has: 4 figures, 4 tables.

SUB CODE: 06/ SUBM DATE: 05Jun65/ ORIG REF: 006/ OTH REF: 006

Card 2/2 BLC

VOICHAL, E.I., MODESTOV, V.K., VIGOSLY, P.F., KAPERKO, F.F.

Clinical and radiologic parallels in the diagnosis of cardiac and pulmonary pathology by the use of radioactive sodium (Na^{24}).
Trudy ISIU 1967-68 1968.

Study of central hemodynamics by the method of selective quantitative radiocardiography with the aid of radioactive krypton (Kr^{85}). 1968, 1969 (MKR 1846)

L. Kafurin moditsirakov radioligat (adv. prof. V.K. Modestov) i
U. kafurin moditsirakov (adv. prof. E.I. Voichal) Central'nogo
institute usovershenstvovaniya spetsial'nykh.

VOTCHAL, Boris Yevgen'yevich; RAYEVSKIY, K.S., red.

[Studies in clinical pharmacology] Ocherki klinicheskoi
farmakologii. Moskva, Meditsina, 1965. 489 p.
(MIRA 18:12)

VOTCHAL, B.Ye.; VISOKIY, F.F.


Radiocardiocirculographic method of a comprehensive study of
central and peripheral hemodynamics. Vest. AMN SSSR 20
no.9:97-105 '65. (MIRA 18:11)

1. TSentral'nyy institut usovershenstvovaniya vrachey, Moskva.

VOTCSAL, B.E., dr.; VISZOKIJ, F.F., [Vysokiy, F.F.], dr.

Clinico-pharmacological studies with Corontin, a new coronary vasodilator agent. Orv. hetil. 106 no.21:975-978 23 My '65.

1. Kozponti Orvostovabbkepzo Intezet (rektor: Kovrigina, M.D., as OFSzSzK erdemes orvosa) II. Belgyogyaszati Tanszek (tanszek-vezeto: Votcsal B.E. a Szovjetunio Orvostudomanyi Akademiajanak levelezo tagja), Moszkva.



BC

a-4

Distribution and translocation of sugars in sugar-beet. I. Sugars in the tissue elements of sugar-beet in relation to its sugar content. II. Connection between vascular bundles of separate rings in the root and vascular bundles of separate leaves. E. F. VOXNIAL (Nauch. Zap. Bakh. Prom., 1934, 11, Book 40, No. 2, 34-36, 36-38).
Ow. Ans. (p)

ABX-36A METALLURGICAL LITERATURE CLASSIFICATION

1934 MAY 21

1934 MAY 21

CA VOTICKY, Z.

A new method of sulfur determination. — Dobrodav
Fristavka and Zdeno Voticky. Chem. Zvesti 5, 1-3 (1961). —
A modification of the classical Carius method is reported.
The oxidation is carried out by KI, HNO₃, HCl which takes
place in 20-60 min. To 0.05-0.1 g. sample add 0.25-0.3 g.
KI, moisten with H₂O, add 10 ml. HNO₃, fume, and add 10
ml. HCl. Heat until the soln. decolorizes, cool, and dil. to
100-150 ml. with H₂O. If on diln. a ppt. is formed, add an
addnl. amt. of the oxidation mixt. S is then deid. either
gravimetrically as BaSO₄ or titrimetrically after pptn. with
benzidine-HCl. The method is satisfactory for both org.
and inorg. compds. The deviation from the classical
Carius method was found to be in the range of 0.04 to 0.30%.
Jan Micks

CZECHOSLOVAKIA/Chemical Technology - Chemical Products and H.
Their Applications - Drugs, Vitamins, Antibiotics.

Abs Jour : Ref Zhur - Khimiya, No 11, 1958, 37187
Author : Dubravkova, L., Jezo, I., Stefcovic, P., Voticky, Z.
Inst : -
Title : Synthesis of Some Quaternary Gramine Salts.
Orig Pub : Chem Zvesti, 1957, 11, No 1, 57-59

Abstract : A survey of preparation methods of gramine methiodide
(I) is given. Also a new method of preparation of (I)
and of gramine methasulphate with good yields of pure
compounds is presented.

Card 1/1

46

VOTICKY Z.

G.

CZECHOSLOVAKIA/Organic Chemistry - Naturally Occurring
Substances and Their Synthetic Analogs.

ABs Jour : Ref Zhur - Khiniya, No 9, 1958, 28934
Author : Dubravkova, L., Jezo, I., Sevcovic, P., Voticky, Z.
Inst : -
Title : Some Esters of 1-N-Methylephedrine.
Orig Pub : Chem Zvesti, 11, No 5, 281-284 (1957) (in Slovak with
summaries in German and Russian)

Abstract : A number of esters of 1-N-methylephedrine (I) with ali-
phatic aromatic acids are described. The esters were
prepared from I by a previously described method
(RZhKhin, 1957, 71547). I is synthesized by the follo-
wing series of reactions: 3.3 gms of L-ephedrine, 583
gms of formalin (40 gms CH₂O per 100 ml), and 390 gms
of 85% HCOOH are refluxed for 5 hrs, and the product of
the reaction is decomposed with 195 gms NaOH in 470 ml
water; the yield of I is 286 gms, mp 85-86°.

Card 1/3

CZECHOSLOVAKIA/Organic Chemistry - Naturally Occurring
Substances and Their Synthetic Analogs.

G.

Abs Jour : Ref Zhur - Khimiya, No 9, 1958, 28934

bp 134-135°/12 mm, $[\alpha]_D^{20}$ (-30°) (CH₃CH).
I is esterified with acids having the general formula
RCOOH. The R, yield in %, bp in °C, $[\alpha]_D^{20}$ (c 5;
CH₃CH), and mp in °C of the hydrochlorides (decomp)
of the aliphatic esters are given below:
CH₃, 88, 133-134/12 mm, -46.2°, 199-200; C₂H₅, 81,
140-141/13 mm, -47.3°, 162-163; 1sc-C₃H₇, 136-137/16
mm, -45°, 154-155; n-C₃H₇, 74, 142-143/12 mm, -40.5°,
162-163; n-C₄H₉, 77, 113-115/0.1 mm, -36.5°, 141-142;
n-C₅H₁₁, 75, 126-128/0.1 mm, 034.8°, 124-125;
(CH₃)₂CHCH CH, 83, 148-149/0.35 mm, + 15.3°, 190-191.

Card 2/3

32

CZECHOSLOVALIA/Organic Chemistry - Naturally Occurring
Substances and Their Synthetic Analogs.

G.

Abs Jour : Ref Zhur - Khimiya, NO 9, 1958, 28934

The R, yield in %, mp in °C, $[\alpha]^{20}_D$ (c 5; CH₃OH),
and mp in °C of the hydrochlorides of the aromatic es-
ters are given below:
C₆H₅, 66, 45-46, +63.8°, 181-182; o-CH₃OC₆H₄, 74, 70-71,
+59.5°, 204-205; 3,4-(CH₃O)₂C₆H₄, 80, 99-100, +94.0°,
163-164°; 3,4,5-(CH₃O)₃C₆H₂, 78, 85-86, +79.0°, 170-179,

Card 3/3

CZECHOSLOVAKIA / Organic Chemistry. Natural Compounds G-3
and Their Synthetic Analogs.

Abs Jour: Ref Zhur-Khimiya, No 23, 1958, 77830.

Author : Dubravkova, L., Jezo, I., Sofcovic, P. and Voticky, Z.

Inst : Not given.

Title : Syntheses of Some Alkaloid Derivatives. XIII.

Orig Pub: Chem Zvesti, 12, No 3, 140-142 (1958) (in Slovak
with summaries in German and in Russian).

Abstract: The catalytic hydrogenation of papaverine in
 CH_3OH over Raney Ni (150° , 150 atm) gave $\frac{1}{2}$ [sic]
-laudanosine, yield 62%, mp $115-115.5^\circ$, picrate
mp $177-178.5^\circ$. For Communication XII see
RZhKhim, 1958, 61104. -- From a summary by the
authors.

Card 1/1

CZECHOSLOVAKIA / Organic Chemistry. Natural Compounds G-3
and Their Synthetic Analogs.

Abs Jour: Ref Zhur-Khimiya, No 23, 1958, 77820.

Author : Dubravkova, L., Jezo, I., Sevcovic, P., and
Votloky, Z.

Inst : Not given.

Title : Esters of N,N-Disubstituted Aminoethanol.

Orig Pub: Chem Zvesti, 12, No 4, 252-255 (1958) (in Slovak
with summaries in German and Russian).

Abstract: In the course of the investigation of compounds
containing the N-C-C-OH group, some of which have
a hypotensive action, the authors have synthesized
compounds having the general formula $\text{RCOOCH}_2\text{CH}_2$
 $\text{N}(\text{CH}_3)(\text{CH}_2)_5\text{N}(\text{CH}_3)_2$, where R = 3,4,5-trimethoxy-
phenyl (I), and α -pyridyl (II). Compounds of

Card 1/5

40

CZECHOSLOVAKIA / Organic Chemistry. Natural Compounds G-3
and Their Synthetic Analogs.

Abs Jour: Ref Zhur-Khimiya, No 23, 1958, 77820.

Abstract: the type of I and II were prepared from 4-chloro-
butanol (III). Preparation: 217 gms III are
added to 500 gms of 48% HBr and 300 gms conc H_2SO_4
and the reaction mixture is heated for 4 hrs over
a water bath; extraction with $CHCl_3$ gives $Cl(CH_2)_4$
Br, yield 66%, bp $50-52^\circ/10mm$. 350 ml alcohol
and 171.5 gms $Cl(CH_2)_4$ Br are added to a hot solu-
tion of 82 gms KCN in 100 ml water, the reaction
mixture is refluxed for 1.5 hrs, diluted with
450 ml water, and extracted with $CHCl_3$, giving
 $Cl(CH_2)_4$ CN, yield 58%, bp $96-98^\circ/11mm$, $n_D^{21} 1.4474$.
A mixture of 23.5 gms $Cl(CH_2)_4$ CN and 33 gms
 $CH_3NHCH_2CH_2OH$ is heated for 20 hrs over a boil-

Card 2/5

CZECHOSLOVAKIA / Organic Chemistry. Natural Compounds G-3
and Their Synthetic Analogs.

Abs Jour: Ref Zhur-Khimiya, No 23, 1958, 77820.

Abstract: ing water bath and then for 8 hrs at 120°; the mixture is diluted with 200 ml water, made weakly alkaline with 50% KOH, and the product is salted out with solid K₂CO₃ and extracted with CHCl₃; HOCH₂CH₂N(CH₃)(CH₂)₄CN is obtained, yield 51%, bp 159-161°/11mm. 60 gms of the latter substance are dissolved in 440 ml abs alc saturated at 0° with NH₃ gas and the solution is hydrogenated over Raney Ni at 150° and at an initial pressure of 130 atm, giving HOCH₂CH₂N(CH₃)(CH₂)₅NH₂ (IV), yield 86%, bp 139-140°/11mm, n_D²⁰ 1.4735. 35 gms IV are added with cooling to 165.8 gms of 90% HCOH followed by the addition of 61 gms of 35% HCHO. The mixture is heated for 10 hrs [temp?], 55 ml

Card 3/5

CZECHOSLOVAKIA / Organic Chemistry. Natural Compounds G-3
and Their Synthetic Analogs.

Abs Jour: Ref Zhur-Khimiya, No 23, 1958, 77820.

Abstract: of concn HCl are added, and the solution is evaporated to dryness under vacuum; the residue is dissolved in a small amount of water, the solution is made alkaline with 50% KHO, salted out with solid K_2CO_3 , and extracted with $CHCl_3$, giving $HOCH_2CH_2N(CH_3)(CH_2)_5N(CH_3)_2$ (V), yield 74%, bp 131-132°/12mm, n_D^{25} 1.4589, dipicrate mp 110-111° (from alc), diiodomethylate mp 245-257° (from alc). The esterification of V gives I, bp 210-212°/1mm, dihydrochloride mp 175-179° (decomp; from ether-alc), dipicrate mp 156-157° (from alc, diiodomethylate mp 245-247° (from alc); and II, bp 153-156°/11mm, trihydrochloride mp

Card 4/5

CZECHOSLOVAKIA / Organic Chemistry. Natural Compounds G-3
and Their Synthetic Analogs.

Abs Jour: Ref Zhur-Khimiya, No 23, 1958, 77820.

Abstract: 170-171° (from ether-alc), triplicate mp 234°
(decomp; from alc), triiodomethylate mp 187-188°
(decomp; from alc). The hydrochlorides of I and
II have only weak hypotensive action. -- V. Shpanov.

Card 5/5

VOTICKY, Z.; TOMKO, J.

Alkaloids from *Buxus sempervirens* L. Pt.2. Coll Cz Chem 30
no.1:348-350 Ja '65.

1. Institute of Chemistry of the Slovak Academy of Sciences,
Bratislava. Submitted April 22, 1964.

MOKRY, Jozef, inz., C.Sc.; KOMPIS, Ivan, inz.; SUCHY, Jan, inz.;
SEFCOVIC, Pavel, dr., inz., C.Sc.; VOTICKY, Zdeno, dr., inz.,
C.Sc.

Contribution to the study of vincamine constitution. Chem
zvesti 16 no.1/2:140-150 Ja-F '62.

1. Ceskoslovenska akademie ved, Oddelenie chemie alkaloidov
Chemickeho ustavu Slovenskej akademie vied, Bratislava.
Authors' address: Bratislava, Mlynske nivy 37, Chemicky ustav
Slovenskej akademie vied.

VOTICKY, Z.

CZECHOSLOVAKIA / Organic Chemistry. Synthesis.

G-2

Abs Jour: Ref Zhur-Khimiya, No 7, 1959, 23412

Author : Dubrakova, L.; Jezo, I.; Sefcovic, P.; Voticky, Z.

Inst : Not given

Title : Abnormal Course of Reaction of Bischler-Napieralsky.

Orig Pub: Chem zvesti, 1957, 11, No 9, 536-541.

Abstract: In the study of the method of synthesis of the isoquinoline analogue of podophyllotoxin, 1-(3,4,5-trimethoxyphenyl)-3-carbethoxy-6,7-methylenedioxy-3,4-dihydroisoquinoline (I) was obtained, and it was found on that occasion that no cyclohydration of the ethyl ester of α -(3,4,5-trimethoxy-benzamido)- β -(3,4-methylenedioxyphenyl)-propionic acid (II) is caused by the action of P_2O_5 ; 4-piperonylidene-2-(3,4,5-trimethoxyphenyl)-oxazolone (III) is obtained with PCl_5 , and I is only partially produced

Card 1/4

G-15

CZECHOSLOVAKIA / Organic Chemistry. Synthesis.

G-2

Abs Jour: Ref Zhur-Khimiya, No 7, 1959, 23412

Abstract: with POCl_3 , but 5-ethoxy-4-piperonyl-2,3,4,5-trimethoxyphenyl)-oxazole (IV) is formed as the main product. Solution of 200 g of III in 300 g of 10% NaOH with water added to bring up the total volume to 1.6 liter is boiled for 6 hours, cooled, and, after the acidification of the solution, α -3,4,5-trimethoxybenzamido- β -(3,4-methylenedioxyphenyl)-acrylic acid (V) precipitates, yield 91%, melt. p. 228-229° (from alc.). 1.5 kg of 4% Na amalgam is added to the solution of 133 g of V in 1.5 liter of water with 30 g of NaOH maintaining the basic reaction, the mixture is filtered and acidified, and α -3,4,5-trimethoxybenzamido- β -(3,4-methylenedioxyphenyl)-propionic acid (VI) precipitates; yield 85%, melt. p. 193-194° (from alc.). 45 g of VI, 500 ml of abs. alcohol and 10

Card 2/4

CZECHOSLOVAKIA / Organic Chemistry. Synthesis.

G-2

Abs Jour: Ref Zhur-Khimiya, No 7, 1959, 23412

Abstract: ml of conc. H_2SO_4 are mixed, 12 hours later the mixture is heated (about 100° , 3 hours), and II is separated using water, yield 82%, melt. p. $140-141^\circ$ (from alc.). 33 g of II is boiled in 300 ml of toluene with 65 ml of $POCl_3$ for 5 hours; the excess $POCl_3$ and toluene are distilled off in vacuo; the remainder is treated with 250 ml of water, filtered, the solution is alkalized with 10% Na_2CO_3 , and I is extracted with ether from the precipitate, yield 3.8%, melt. p. $113-114^\circ$ (from alc.); picrate, melt. p. $193-194^\circ$ (from alc.); the precipitate, filtered off from water, is washed with $NaHCO_3$ and IV is obtained, yield 54%, melt. p. $98-99^\circ$ (from dil. alc.). 15 g of PCl_5 is poured into

Card 3/4

G-16

CZECHOSLOVAKIA / Organic Chemistry. Synthesis.

G-2

Abs Jour: Ref Zhur-Khimiya, No 7, 1959, 23412

Abstract: the solution of 6 g of II in 150 ml of CHCl_3 (temperature below 40°) and allowed to stand at 20° for 5 days, POCl_3 and CHCl_3 are distilled off in vacuo, the residue is treated with water, and III is obtained, yield 72%, melt. p. $198-200^\circ$ (from CH_3COOH). -- P. Sokov

Card 4/4

VOTICKY Z.

CZECHOSLOVAKIA/Organic Chemistry - Naturally Occuring Substances and Their Synthetic Analogs. G.

Abs Jour : Ref Zhur - Khimiya, No 9, 1958, 28943
 Author : Dubravkova, L., Jezo, I., Sefcovic, P., Voticky, Z.
 Inst : -
 Title : Synthesis of Some Alkaloid Derivatives, X.
 Orig Pub : Chem Zvesti, 11, No 7, 394-397 (1957) (in Slovak with Summaries in German and Russian)

Abstract : The synthesis of allolupinane (I) from 6-methyl-3-(β -hydroxyethyl)-pyridine (II) by the following reaction scheme is described: II \rightarrow 6-methyl-2-vinylpyridine (III) \rightarrow 6-methyl-2-(γ , γ -dicarbetoxypropyl)-pyridine (IV) \rightarrow 6-methyl-2-(γ -carbetoxypropyl)-pyridine (V) \rightarrow 4-methyl-5-ketoquinolizidine (VI) \rightarrow I (two reagents). Preparation: 100 gms II poured into 300 gms KOH (180-190°, vacuum) gives III, yield 66.3%, bp 66-68°/10 mm; the picrate of III has an mp of

Card 1/2

34

CZECHOSLOVAKIA/Organic Chemistry - Naturally Occuring
Substances and Their Synthetic Analogs.

G.

Abs Jour : Ref Zhur - Khimiya, No 9, 1958, 28943

128-129° (from CH_2OH). 62.3 gms III in 50 ml abs alcohol are refluxed (24 hrs) with the alcoholate, prepared from 12.4 gms Na and 24 ml abs alcohol, and 112 gms of ethyl malonic ester; saponification with 150 ml conc HCl and esterification (100 ml abs alcohol + 10 ml conc H_2SO_4) gives V, yield 40%, bp 100-102°/0.15 mm, IV.1/2 H_2PtCl_6 [sic], mp 165-166° (from alc). 31.05 gms V in 300 ml abs alcohol on hydrogenation over 10 gms Raney Ni (150 atm, 170°) give VI, yield 92%, bp 86-88°/0.20 mm. Reaction of 16.72 gms VI in 250 ml abs ether with 11.38 gms LiAlH_4 in 300 ml abs ether gives I, yield 74%, bp 77-78°/10 mm; the picrates of I melt at 186-187° (alc) and 195° (alc).

For Communication IX see RZhKhim, 1957, 41263.

Card 2/2

273510

45196
Z/043/63/000/001/003/004
D287/D307

AUTHORS: Mokřý, J., Kompiš, I., Suchý, J., Šefčovič, P. and Votický, Z.

TITLE: Alkaloids from Vinca minor L. V. The structure of vincamine

PERIODICAL: Chemické Zvesti, v. 17, no. 1, 1963, 41-53

TEXT: E. Schlitter and A. Furlenmeier separated vincamine, the main constituent of Vinca minor L. for the first time. The authors modified the method described by S. Scheindlin and N. Rubin for separating the crude alkaloid from the plant and obtained a new alkaloid, vincarein, from the crystalline fraction of the crude alkaloid solution (vincarein: $C_{21}H_{24}N_2O_4$). This compound has the same physical and chemical properties as vincaminine and the authors suggest that the two compounds are identical. The separation of vincamine ($C_{21}H_{26}N_2O_3$) was described in an earlier publication (Chem. Zvesti, v. 16, 1962, 140); vincaminol $C_{20}H_{26}N_2O_2$ was obtained by Card 1/3

Alkaloids from Vinca ...

Z/043/63/000/001/003/004
D287/D307

reduction of vincamine with LiAlH_4 . Dehydrogenation with Se gave vincyryne and isovincyryne ($\text{C}_{19}\text{H}_{22}\text{N}_2$). The structure of vincamine was proved by oxidation of vincaminol: vincamone and formaldehyde were obtained and it was therefore obvious that the compound was a 1,2-diol and that the $-\text{OH}$ and $-\text{COOCH}_3$ groups in vincamine are on the same C-atom (C_{14}). The formula of vincamone, the uv and ir spectra and the m.p. of the compound are identical with those of eburnamnine. Apovincamine (obtained by dehydration of vincamine) can be subjected to catalytic hydrogenation and esterification and yields desoxyvincamine $\text{C}_{21}\text{H}_{26}\text{N}_2\text{O}_2$ which has an equatorial carbomethoxy group; the same position of the carbomethoxy group and configuration are assumed to exist in vincamine. There are 2 figures.

ASSOCIATION: ČSAV, Chemický ústav Slovenskej akadémie vied, Oddelenie chémie alkaloidov, Bratislava (Czechoslovak AS, Institute of Chemistry of the Slovak Academy of

Card 2/3

Alkaloids from Vinca ...

Z/043/63/000/001/003/004
D287/D307

Sciences, Department of Alkaloid Chemistry, Bratis-
lava)

SUBMITTED: June 6, 1962

Card 3/3

VOTICKY, Z.

CZECHOSLOVAKIA / Organic Chemistry. Natural Substances G
and Their Synthetic Analogues.

Abs Jour: Ref Zhur-Khimiya, No 18, 1958, 61103.

Author : L. Dubraková, I. Jězo, P. Seřcovic, Z. Votický,
Inst : -

Title : Synthesis of Some Derivatives of Alkaloids, XI.

Orig Pub: Chem. zvesti, 1957, 11, No 11, 656-659.

Abstract: The synthesis of 5-methylallolupinane (I) of 6-methyl-2-vinylpyridiene (II) is described. 1-[6'-methylpyridyl-(2')] -3-carbethoxypentanone-4 (III) is prepared by the condensation of 1 mole of II with 0.2 mole of $\text{CH}_3\text{COCH}_2\text{COOC}_2\text{H}_5$ (passing HCl through 4 to 6 hours, 5 hours of boiling), yield

Card 1/3

CZECHOSLOVAKIA / Organic Chemistry. Natural Substances G
and Their Synthetic Analogues.

Abs Jour: Ref Zhur-Khimiya, No 18, 1958, 61103.

Abstract: by the hydrogenation of 0.06 mole of IV in 120 ml of absolute alcohol (4 g of Raney's catalyst, 150 atm, 200 to 220°) with the evaporation of the acidified filtrate until dry and extraction of the alkaline residue with ether, yield 61%, boiling point 53 to 55°/8 mm; semichloroplatinate - dissociation point 185 to 186°, picrate - melting point 156 to 158°. See report X in RZhKhim, 1958, 28943.

Card 3/3

CZECHOSLOVAKIA/Organic Chemistry - Synthetic Organic Chemistry.

G-2

Abs Jour: Referat Zhur-Khimiya, No 5, 1958, 14415.

205-206; with R = (C₂H₅)₂N: C₆H₅, 113-115/0.2 mm, 102-103,
149-150; Ar¹, 133-134/0.15 mm, 98-99, 118-119; Ar², 142-
144/0.15 mm, 126-127, Ar³, 161-163/0.2 mm, 158-159, 182-
183; Ar⁴, 163-165/0.2 mm, 159-160, 185-186; with R = N-
piperidyl: C₆H₅, 109-110/0.1 mm, 139-140, 128-129; Ar¹,
156-157/0.2 mm, 147-148, 133-134; Ar², 164-166/0.2 mm,
169-170, 191-192; Ar³, 172-174/0.2 mm, 224-225, 195-196;
Ar⁴, 176-178/0.2 mm, 179-180, 199-200; with R = N-morpholyl:
C₆H₅, 123-124/0.1 mm, 202-203, 140-141; Ar¹, 160-161/0.15 mm,
171-172, 150-151; Ar², 178-180/0.15 mm, 185-186, 193-195;
Ar³, 191-193/0.25 mm, 227-228, 195-196; Ar⁴, 203-205/0.2 mm,
209-210, 208-209.

Card : 2/2

"APPROVED FOR RELEASE: 08/09/2001

CIA-RDP86-00513R001861110004-9

APPROVED FOR RELEASE: 08/09/2001

CIA-RDP86-00513R001861110004-9"

"APPROVED FOR RELEASE: 08/09/2001

CIA-RDP86-00513R001861110004-9

APPROVED FOR RELEASE: 08/09/2001

CIA-RDP86-00513R001861110004-9"

"APPROVED FOR RELEASE: 08/09/2001

CIA-RDP86-00513R001861110004-9

APPROVED FOR RELEASE: 08/09/2001

CIA-RDP86-00513R001861110004-9"

"APPROVED FOR RELEASE: 08/09/2001

CIA-RDP86-00513R001861110004-9

APPROVED FOR RELEASE: 08/09/2001

CIA-RDP86-00513R001861110004-9"

Preparation of alkyl- and arylureas. 1. Ježo, K. Babor, and Z. Votický Věsk. ústav pro farm. a biochem., Bratislava, Czech.). Chem. Zvesti 6, 273-6 (1932).— By reaction of alkyl- or arylamines with melted urea or monoalkyl- or monoarylureas are formed the corresponding sym. and asym., di- or trialkyl- or arylalkylureas. Jan Micka

CZECHOSLOVAKIA

VOTICKY, Z.; TOMKO, J.; DOLEJS, L.; HANUS, V.

1. Chemical Institute, Slovak Academy of Sciences, Department of Alkaloids, Bratislava - (for Voticky and Tomko); 2. Institute of Organic Chemistry and Biochemistry, Czechoslovak Academy of Sciences, Prague, (for Dolejs); 3. Institute of Physical Chemistry, Czechoslovak Academy of Sciences, Prague (for Hanus).

Prague, Collection of Czechoslovak Chemical Communications, pp 3705-3710.

"Alkaloids from *Buxus sempervirens* L. Part 4: The structure of buxtauine."

(4)

VOTICKÝ, Z.

③ 6

Some derivatives of ~~4~~-triazolopyrimidine, I. Jelo and
 Z. Votický (Výskum. ústav pre farm. a biochem., Bratis-
~~lava, Czech.~~ Chem. Zvesti 6, 357-60 (1952).—The follow-
 ing 4-methyl- (I) and 4,6-dimethyl-5,7-dioxo-4,5,6,7-tetra-
 hydro-~~4~~-triazolopyrimidine (II) 2-(*p*-substituted-phenyl-
 derivs. were prepd. from 3-methyl- and 1,3-dimethyl-4-
 aminouracil, resp., and the corresponding diazonium compds.
 (parent compd., substituent, and m.p. given): I, OEt, 307-
 7.5°; II, OEt, 197.5-8.0°; I, CO₂H, 296° (decompn.); II
 CO₂H, 265° (decompn.); I, H, 206-96.5°; II, H, 208.5-
 9.0°; I, SO₂H, above 350°; II, SO₂H, above 350°.

Jan Mická

MOKRY, Jozef, inz., C.Sc.; KOMPIS, Ivan, inz., C.Sc.; SUCHY, Jan, inz.,
C.Sc.; SEFCOVIC, Pavel, dr., inz., C.Sc.; VOTICKY, Zdeno, dr.,
inz., C.Sc.

Alkaloids from the Vinca minor L. Part 5: Constitution of vincamina.
Chem zvesti 17 no.1:41-53 Ja '63.

1. Chemicky ustav Slovenskej akademie vied, Oddelenie chemie
alkaloidov, Bratislava, Dubravska cesta.

(2)

CZECHOSLOVAKIA

TOMKO, J; VOTICKY, Z; BUDZIKIEWICZ, H; DUMIAL, L. J.

Institute of Chemistry, Department of Alkaloids of the
Slovak Academy of Sciences, Bratislava (for all)

Prague, Collection of Czechoslovak Chemical Communications,
No 10, 1965, pp 3320-3323

"Alkaloids of *Veratrum album* Subsp. *lobelianum* (Bernh.)
Suessenguth. X. Structure of Veramarine."

VOTIK, Ota

Attempt at developing new methods for early diagnosis of malignant diseases of the cervix uteri. Sborn.ved.prac.lek. fak. Karlov. Univ. (Hrad.Kral.) 6 no.3; Supplement:401-405 '63.

1. Gynekologicko-porodnicka klinika v Hradci Kralove; pred-
nosta: prof. MUDr. J.Pazourek, DrSc.

*

REZACOVA, Zdena; ANTOS, Jaroslav; VOTIK, Ota

Sexual behavior of mature and fertile women. Sborn. ved. prac. lek.
fak. Karlov univ. (Hrad Kral) 4 no.5:645-649 '61.

1. Gynekologicko-porodnicka klinika; prednosta prof. DrSc. MUDr.
J. Pazourek.

(SEX BEHAVIOR) (PREGNANCY) (LABOR)

ANDRYS, Josef; VOTIK, Ota

Colposcopic examination of precancerous conditions and pre-clinical cancer. Sborn. ved. prac. lek. fak. Karlov. Univ. 8 no. 3:291-298 '65.

1. Porod.-gynekologicka klinika (prednosta: prof. MUDr. K. Vacha, DrSc.) Karlovy University v Hradci Kralove.

VACHA, Karel; VOTIK, Ota; NYKLICEK, Otakar

Inveterate inversion of the puerperal uterus. Sborn. ved. prac.
lek. fak. Karlov. univ.: Suppl. 8 no.4:435-443 '65.

1. Gynekologicko-porodnicka klinika (prednosta prof. MUDr. K.
Vacha, DrSc.) a Gynekologické oddelení Obvodního ústavu národního
zdraví Nachod (prednosta doc. MUDr. O. Nyklíček, CSc.).

VOTIK, Ota; VACHA, Karel; HANOUSEK, Jaroslav

Differential diagnosis difficulties in eclampsia and acute brain injuries. Sborn. ved. prac. lek. fak. Karlov. univ. (Hrad Kral)
4 no.5:629-633 '61.

1. Gynekologicko-porodnicka klinika; prednosta prof. DrSc. MUDr.
Pazourek Gyn.-por. oddeleni KUNZ v Pardubicich; prednosta primar
MUDr. J. Hanousek.

(PREGNANCY COMPLICATIONS) (BRAIN INJURY ACUTE)
(ECLAMPSIA)

VOTIK, Ota (gyn. por. odd. Usti n. L., Pasteurova 9.)

Brief analysis of the incidence of premature labors in the Regional
National Health Institute in Usti n. L. during 1955-1956. Cas. gyn.
23[37] no.4:280-284 June 58.

I. Gyn. por. odd. KUNZ v Usti n. L., primar MUDr K. Vacha.
(LABOR,
premature, causes (Cz))

VOHOUTEK, Miroslav; ANDRYS, Josef; VOTIK, Ota

Untoward results of artificial interruption of pregnancy. Cesk.gyn.
25[39] no.9:691-694 H '60.

1. Gyn.por.klin. v Hradci Kralove, prednosta prof. MUDr. J.Pazourek,
Dr. Sc.
(PREGNANCY THERAPEUTIC compl)

FIXA, B.; KOMARKOVA, O.; technicka spoluprace: VOTIKOVA, J.

Examination of acid and basic gastric secretion in clinical practice.
Cesk. gastroent. vyz. 15 no.7:490-497 N '61.

1. II interni klinika LF KU v Hradci Kralove, prednosta doc. MUDr.
Vilo Jurkovic.

(GASTRIC JUICE)

VOTIN

HUNGARY/Pharmacology, Toxicology. Diuretics

U-7

Abs Jour : Ref Zhur - Biol., No 4, 1958, No 17744

Author : Kosh, Votin, Daniel.

Inst : Not Given

Title : The Treatment of Thrombophlebitis with Butazolidin

Orig Pub : Orv. hetilap, 1955, 96, No 42, 1170-1172

Abstract : Butazolidin was used in the treatment of 30 patients afflicted with thrombophlebitis of various degrees of severity and etiology (post-operative, varicose and septic). The majority of the patients showed improvement in 6 days. One patient suffered a relapse 5 days after the end of the treatment. There were no side effects.

Card : 1/1

KOS, Rudolf, dr.; VOTIN, Jozsef, dr,

Clinical problems of staphylococcal hospitalism. Orv. hetil.
101 no. 25:881-886 19 Je '60.

1. Budapesti Orvostudományi Egyetem, II. sz. Sebészeti Klinika.
(STAPHYLOCOCCAL INFECTIONS epidemiol.)
(HOSPITALS)

VOTIN, Jozsef, Dr.; KOS, Rudolf, Dr.

Correlation between penicillin sensitivity and abscesses caused by injections. Borgyogy. vener. szemle 12 no. 4-5:184-186 Aug-Oct 53.

1. A Budapesti Orvostudományi Egyetem II. számú Sebészeti Klinikájának közleménye (Igazgató: Klimko Desso dr. Egyetemi tanár).

(PENICILLIN, inj. eff.

abscesses caused by penicillin inject., correlation with allergy to penicillin (Hun))

(ALLERGY

to penicillin, correlation with incidence of abscesses caused by penicillin inject. (Hun))

KOS, Rudolf, Dr.; VOTIN, Jozsef, Dr.

Therapy of painful conditions of the locomotor organs by prednisolone injections. Orv. hetil. 99 no.35:1223-1225 31 Aug 58.

1. A Budapesti Orvostudományi Egyetem II. sz. Sebészeti Klinikájának (igazgató: Klinika Dézso dr. egyet. tanár) közleménye.

(JOINTS, dis.

ther., prednisolone, local admin. (Hun))

(PREDNISOLONE, ther. use

joint dis., local admin. (Hun))

VOTIN, Jozsef, Dr.; KOS, Rudolf, Dr.

Dangers of infection after local cortisone therapy. Orv. hetil. 99 no.12:
409-411 28 Mar 58.

1. A Budapesti Orvostudományi Egyetem 11 sz. Sebészeti Klinikájának
(igazgató: Klinika Dézso dr. egyet. tanár) közleménye.
(PREDNISOLONE, inj. eff.
infect. after local admin. (Hun))